

INDEX

- IIS enzyme 19, 125, 130, 139, 143
ACB-PCR *see* allele-specific competitive blocker-polymerase chain reaction
accuracy 23, 85, 89, 92, 143, 150, 155, 213, 217, 223, 274, 278, 296
acetic anhydride 167, 169, 174, 176, 178, 180
adapter sequence 10, 14, 16, 17, 19, 43, 53, 54, 57, 61, 74, 76, 103, 106, 107, 113-130, 132, 133, 148, 149, 191, 201, 202, 230, 247
Affymetrix 265, 271-274, 276, 284, 293, 295, 296
AFLP, *see* amplification fragment length polymorphism
Agilent 265, 268, 271-273, 276, 277, 284, 295
alkaline acetic chloride 167, 169, 174, 176, 178
alkaline potassium permanganate 167, 169, 174, 176, 178, 181
allele-specific competitive blocker-polymerase chain reaction 211, 212, 230
allele-specific PCR 211, 212, 217, 229
alternative splicing 265, 266, 279, 284-288
amplification fragment length polymorphism 125, 126, 142, 146
annealing temperature 29, 32, 36, 44, 209
antisense transcription 265, 268, 269, 288
arbitrary primed PCR 125
artificial nucleases 211, 218, 227, 228
aziridinylbenzoquinone 167, 168, 171
background 8, 12-16, 18, 21, 32, 35, 41, 53, 55-57, 60-62, 64, 70, 71, 74, 75, 77, 79, 80, 82, 92, 101, 105, 132, 133, 135, 140, 141, 146, 150, 152, 153, 156, 157, 183, 191, 193, 195, 196, 199, 201, 217, 218, 222, 223, 230, 235, 242, 245, 247-251, 258, 274
biotinylation 97, 101, 106, 107, 142, 170
biotinylation of initial RNA 101
bisulfite oligonucleotide array 266, 292
C₀tA fraction 203, 241, 252, 259, 261
cap switch 53, 56, 199, 201, 204, 205
carboxylation of pyrimidine bases 167, 169
catalytic molecular beacon 85, 90, 92
cDNA library construction 1, 2, 24, 29, 61, 113, 138
cDNA microarray 265, 269, 270, 281, 298
cDNA normalization 13, 17, 33, 98-102, 104, 105, 107, 109, 120
cDNA representation 97, 99, 146
cDNA subtraction 1, 4, 7, 53, 55, 79, 80
CEL I 211, 219, 222, 256
CGH, *see* comparative genomic hybridization
chemical cleavage 23, 24, 215-217, 219
chemical modification of mispaired nucleotides 211, 215, 248
chimera 150, 187, 190, 228, 241, 242, 252, 254
chimeric clone 187, 190, 251, 253
chimeric duplex 187, 193, 196

- chromatin immunoprecipitation 266, 279, 293, 294, 295
- chromosome walking 29, 30, 40, 42
- CHS, *see* covalently hybridized subtraction
- class II restriction endonuclease 125
- class IIS restriction endonuclease 19, 125, 130, 134
- clone coverage 97, 100
- cloning of deleted sequences 125, 126, 150, 196
- cloning selection 187-189, 191
- CODE, *see* cloning of deleted sequences
- coincidence cloning 1-3, 20-22, 24, 29, 33, 187-193, 195, 197, 199, 202, 242, 244, 254
- common sequences 8, 20, 168, 170, 171, 177, 178, 187, 189
- comparative genomic hybridization 265-276, 279, 282-284
- competitive genomic hybridization 1, 3
- competitor DNA 187, 191, 203, 224, 247, 248, 253, 258, 259, 261
- covalent modification 167-169, 171, 174-178, 180, 184
- covalently hybridized subtraction 2, 18, 167, 168, 171-177, 179-184
- covalently modified subtracter 167-169, 174, 176-178, 180, 181, 183
- CpG island 265, 279, 280, 290-293, 295
- DARFA, *see* differential analysis of restriction fragments amplification
- differential display 4, 17, 18, 24, 29, 33, 34, 36-38, 40, 42, 126, 127, 140, 141
- deamination of purines
- DEASH, *see* DNA enrichment by allele-specific hybridization
- differential analysis of restriction fragments amplification 125, 126, 142, 144
- differential display 4, 17, 24, 28, 29, 33, 34, 36-38, 40, 42, 126, 127, 140, 141
- differential DNA 22, 167, 169, 170, 177, 178, 212
- differential transcripts 1
- differential screening 42, 53-56, 61, 64, 67, 70, 71, 74, 76, 80, 82, 126, 137, 138, 140, 141
- differential sequence 1, 5, 9, 10, 12, 20, 24, 57, 168, 171, 177, 178, 188, 243-245
- differential subtraction chain 125-127, 146, 148-150
- differentially expressed genes 1, 2, 4, 30, 36, 40, 53, 55, 56, 59-61, 74, 99, 127, 139, 147, 153, 167, 168, 177, 179, 180, 182, 183
- differentially expressed mRNA 60, 61, 97, 98
- differentially methylated 1, 25
- differentially regulated genes 53, 54
- DNA enrichment by allele-specific hybridization 125, 126, 154-156
- DNA microarray 3, 87, 89, 92, 265-270, 277, 281, 289, 293-295, 297, 298
- DNA probe 85, 86, 90, 92, 93, 229, 232, 245, 268, 269, 273, 274, 278, 280
- DNAzyme 85, 90-92, 94, 228
- driver 1, 5-10, 12, 13, 15, 16, 18-20, 39, 55-62, 64-68, 70, 76, 77, 80, 82, 105, 106, 125-131, 134-139, 142, 144-154, 156, 244-246, 257, 258
- DSC, *see* differential subtraction chain
- DSN, *see* duplex specific nuclease
- DSNP, *see* duplex-specific nuclease preference
- duplex specific nuclease 97, 98, 101, 109-116, 119-121, 211, 212, 225
- duplex-specific nuclease preference 211, 212, 225, 227
- EDS, *see* enzymatic degrading subtraction
- efficiency of SSH 54, 59, 60
- EMC, *see* enzymatic mismatch cleavage
- endonuclease V 211, 221, 222, 250
- enrichment 2, 7, 9, 10, 13, 18, 19, 39, 53-55, 57, 59-61, 125-129, 133-135, 139, 140, 144-150, 153-155, 169, 174, 178, 187, 191, 193, 230, 245-247
- enrichment factor 187, 191, 193
- enrichment value 13, 125, 134, 245, 247
- enzymatic degrading subtraction 125, 126, 146, 147
- enzymatic mismatch cleavage 211, 212, 221, 222
- enzymatic removal 97, 101

- enzyme-amplified electronic transduction 211, 234, 235
- epigenomic microarray 265, 266, 279
- equalization 13, 54, 63
- EST 1-3, 14, 17, 18, 104, 266, 277, 280, 281, 284, 285, 298, 300
- evolutionary conserved sequence 2, 20, 21, 25, 29, 187, 195, 197, 202, 204, 254, 262
- expression profiling 156, 265, 280, 282
- false positive 12, 13, 16, 39, 53, 55, 70, 80, 82, 153, 178, 274, 278
- first strand cDNA 6, 41, 45, 65, 66, 97, 104-106, 109, 112, 113
- fluorescence resonance energy transfer 85, 88, 94, 225
- fluorophore 85, 87, 89-92, 217, 228, 295
- frequent cutter 10, 20, 21, 97, 98, 101, 107, 109, 191, 195, 197, 199, 203, 246, 248, 250, 256, 259, 260, 291
- frequent transcript 1, 3
- FRET, *see* fluorescence resonance energy transfer
- full-length cDNA 62, 97-99, 104, 105, 107, 109, 112, 199, 205, 278
- gene atlas 265, 282
- gene expression 2-4, 9, 17-19, 33, 35, 70, 92, 125-127, 140, 142, 143, 146, 156, 167-169, 179, 181, 188, 197, 266, 271, 274, 278-282, 284, 288, 289, 298-300
- gene-oriented array 266, 277-279
- genetic differences 125, 127, 142, 156
- genetic regulation 97, 98
- genome complexity 1, 246, 284
- genome size 1, 90, 190, 245
- genomic microarray 265, 270, 279
- genomic polymorphism 1, 22
- genomic repeat 19, 22, 187, 191, 197, 199, 204, 241, 242, 247, 248, 254, 258
- genomic repeat expression monitor 22, 187, 197, 199-202, 204-206
- genomic signature tag 125, 142
- genomic subtraction 1, 4, 184, 246
- glycosylase mediated polymorphism detection 211, 231
- GREM, *see* genomic repeat expression monitor
- GST, *see* genomic signature tag
- heat denaturation 53, 56, 59, 222, 232
- high complexity 53, 55, 289
- highly abundant cDNA 53, 56
- hybridization kinetics 3, 56, 101, 109, 148, 241, 242, 244
- hybridization probe 76, 81, 85, 86, 88, 139, 222
- hybridization rate 5, 93, 101, 246
- hybridization specificity 20, 24, 125, 241, 242, 248
- hybridization temperature 234, 241, 248, 252
- hybridization time 9, 53, 55, 79, 190, 191, 245, 247
- hydroxyapatite column 5, 97, 102-104, 191, 247
- hydroxylamine 211, 215, 249
- immobilization 97, 101, 104
- immobilized 3, 12, 61, 85, 87, 89, 92, 93, 100, 104, 105, 109, 189, 193, 230, 231, 269
- incomplete cDNA 97, 99
- intronic transcription 297-299
- inverted repeats 14, 19, 31, 85, 87, 151, 194, 252, 256
- in-situ synthesis 265, 268, 271, 289, 295
- in vitro cloning 29, 30, 33, 41, 42, 80
- LCS, *see* linker capture subtraction
- level of enrichment 55, 59
- LigAmp 211, 230
- ligation mediated enrichment 125, 146, 153, 162, 163
- linear probe 85, 86, 92, 93
- linkage disequilibrium 299
- linker capture subtraction 125, 126, 146-148
- mathematical model 9-12, 53, 57, 59
- MDR, *see* mispaired DNA rejection
- melting point 241, 248
- methylated DNA immunoprecipitation 292, 293, 305

- methylation 21, 22, 197, 209, 266, 279, 280, 288-293
- methylation site 22, 187, 197
- microRNAs 266, 289, 290
- microarray 1, 3, 17, 24, 36, 86, 89, 92, 94, 126-128, 155-157, 265-273, 275-281, 283-298
- microarray chip 3, 265-269, 271, 272, 277, 278, 280, 281
- microarray probe 265, 277, 278, 281, 286, 287
- miRNAs, *see* microRNAs
- mirror orientation selection 2, 16, 18, 53-57, 59-61, 63, 70, 71, 73, 74, 77, 80-82, 153
- mirror oriented selection, *see* mirror orientation selection
- mismatch 24, 85, 89, 92, 150, 203, 211, 212, 214, 215, 219, 221-224, 229-231, 242, 249, 252-255, 261, 266, 274, 290
- mismatch discrimination 85, 89, 92, 242
- mismatch-sensitive nuclease 196, 202, 203, 221, 223, 241, 251-254, 261
- mismatched target 85, 86, 277
- mispaired base 85, 250
- mispaired DNA rejection 21, 150, 249-251, 253-255
- mispaired nucleotides 1, 23, 24, 211, 214, 215, 217, 218, 230, 231, 244, 249, 255
- modified purine 167
- modified pyrimidine 167, 174
- molecular beacon 85-94
- MOS, *see* mirror orientation selection
- mRNA study 97, 99
- multiplex 42, 85, 89, 226, 296
- multiplex PCR 24, 29, 30, 34, 42, 43
- Mung bean nuclease 10, 19, 12, 15, 147-150, 203, 224, 241, 252-255, 261
- mutant allele 1, 234
- mutant strand 1, 24, 215, 233
- mutation 1, 22-25, 92, 93, 154, 211-235, 249, 254, 255
- mutation detection 23, 24, 93, 211, 213-217, 220, 222-228, 231, 232, 234, 249, 255
- MutS 211, 230, 231
- nanoparticle 85, 232, 233
- negative subtraction chain 125, 126, 146, 150
- NGSCC, *see* non-methylated genomic sites coincidence cloning
- NimbleGen 265, 268, 271, 272, 275, 284, 295
- noncoding transcripts 266, 288, 298
- non-methylated genomic sites coincidence cloning 2, 21, 22, 187, 197, 199, 208, 209
- nonrepetitive DNA 187, 190, 247
- normalization 1-3, 13, 14, 16, 17, 24, 29, 33, 39, 53-56, 59, 60, 97-113, 116, 119-122, 151
- normalized cDNA libraries 29, 39, 97, 98, 100-102, 104, 105, 107, 111
- Northern blot 1, 38, 54, 59, 61, 70, 81, 100, 122, 183, 289, 298
- NSC, *see* negative subtraction chain
- nuclease-based mutation scanning 212, 218, 225
- nucleic acids hybridization 1-28, 86, 215, 241-264
- oligoarray 265, 271, 284, 293, 299, 300
- oligonucleotide probe 87, 265, 267, 271, 277, 278, 284, 285, 287, 289, 290, 292, 293, 296, 297
- ordered differential display 24, 29, 33, 37
- osmium tetroxide 211, 215, 249
- pan handle 29, 31, 57, 85-88, 193, 194
- PCR-only-based approaches 187, 188, 190, 193
- PCR selection effect 10, 19, 241, 243
- PCR suppression 14-17, 20, 24, 29-31, 34, 37, 42-44, 51, 79, 86, 101, 107-109, 111, 187, 188, 190, 195, 202, 205, 250, 251, 255
- PEER, *see* primer extension enrichment reaction
- perfectly matched hybrids 241, 242, 249
- PERT, *see* phenol emulsion reassociation technique
- phenol 5, 9, 46, 66, 72, 77, 125, 154, 170, 203, 208, 245, 258-261
- phenol emulsion reassociation technique 2, 9, 146, 241, 245

- plasmid vector 5, 10, 62, 74, 97, 193
phagemid vector 97, 102, 103
physical isolation of imperfectly matched DNA 24, 211, 215, 233
physical separation 36, 39, 53, 55, 57, 97, 101, 102, 105, 107, 109, 145, 187-189, 193
poly(A)+ RNA 5, 35, 36, 55, 56, 61, 62, 65, 77, 82, 97, 99, 102, 103, 105-107, 152
polymorphism recovery 1, 3, 231
poorly transcribed 12, 97, 100
potassium permanganate 167, 169, 174, 176, 178, 181, 211, 215, 249
pre-mRNA 265, 278, 284, 286
preparation of full-size cDNA 29, 34, 40
primary structure 12, 30, 125, 127
primer annealing site 12, 30, 125, 127
primer concentration 29, 32, 132
primer extension enrichment reaction 2, 18, 19, 125, 126, 128-135, 156
promoter-active repeats 22, 25, 187, 199
protocol 9, 30, 42-45, 53-55, 62-65, 70, 71, 74, 82, 97, 98, 102, 104, 105, 107, 112, 113, 126, 128, 131, 133-136, 138, 150, 153, 155, 156, 168, 172, 176, 180, 188, 191, 202, 205, 207, 209, 217, 219, 221, 222, 229, 231, 242, 247, 255, 270, 273, 278, 281, 296
PS, *see also* PCR suppression 29, 31, 34, 36, 38, 41-43, 45, 48, 188, 193, 195

QCM 211, 212, 231, 234
quencher 85, 87, 89-92, 227, 228

RACE 1, 2, 24, 29, 40, 41, 54, 56, 62, 65, 266, 298
random clones 54, 61
rapid amplification of cDNA ends 1, 2, 24, 29, 40, 41, 54, 62, 266
rare transcript 1, 4, 9, 13, 16, 17, 39, 59, 100, 101, 103, 106, 108, 110, 141, 193
real-time 85, 87, 89, 92, 93, 229, 230
reannealing 16, 53, 208, 222, 245
removal of the adapter sequences 54, 61
repetitive element 22, 38, 82, 187, 188, 190, 196, 197, 199-202, 204, 206, 241, 244, 247, 253, 289
repetitive sequence 9, 36, 156, 187, 191, 243, 247, 295
representational differences analysis 1, 2, 10, 126, 127, 143, 145, 169, 246
resolvase-like endonucleases 211, 218
restriction endonuclease 5, 10, 13, 15, 19, 20, 32, 40, 44, 45, 53, 59, 103, 109, 125, 130, 136, 14-150, 154, 177, 189, 191, 193, 197, 199, 201, 203, 205, 218, 224-226, 228, 245-247, 259, 260, 291
restriction fragment length polymorphisms recovery 1, 2, 12, 126, 142
RDA, *see* representational differences analysis
RIDGES 22, 187, 197
RNase cleavage of mismatched nucleotides 211, 224

SABE, *see* serial analysis of binding elements
SABRE 125-127, 146, 153, 154
SAGE, *see* serial analysis of gene expression
Sanger sequencing 1, 23, 213
saturating hybridization 97, 100
SBE, *see* single-base extension
scorpion 85, 89, 90
search for promoter sites 29, 30, 40
second strand cDNA 45, 65, 66, 97, 102, 104, 106, 109
secondary structure 85, 86, 101, 109, 111, 218, 278
selective amplification 29, 35, 36, 56, 98, 101, 107, 108, 126, 127, 153, 154, 171, 177, 181, 199-201, 205-207, 255, 256
selective PCR suppression 20, 29, 30, 43, 44, 107, 190
selectively primed adaptive driver RDA 125, 126, 146, 147
sensitivity 17, 36, 85, 89, 92, 94, 128, 156, 157, 171, 177, 216, 217, 224, 229, 234, 268, 273, 276, 278, 283, 289

- sequencing-by-hybridization 125, 128
- serial analysis of binding elements 125, 126, 142
- serial analysis of gene expression 2, 18, 22, 125, 126, 142, 143, 188, 197, 266, 280, 298, 300
- single-base extension 211, 225, 226, 266, 296
- single nucleotide polymorphism 1-3, 37, 89, 125-127, 135, 211, 212, 266, 271, 297
- single-strand conformational polymorphism 211, 212, 234
- single-stranded DNA specific nucleases 218, 224
- size of cDNA fragments 54, 62
- small amount of biological material 29, 35
- SNP, *see* single nucleotide polymorphism
- sodium cyanide/sulfuric acid mixture 167, 169, 174, 178
- spot hybridization 125, 134
- spotted DNA microarray 265, 266, 268, 270
- SSCP, *see* single-strand conformational polymorphism
- SSH, *see* suppression subtractive hybridization
- stem loop 24, 31, 32, 57, 85-87, 89, 92, 107, 193-195, 252, 256, 257
- subcloning 1, 4, 12, 62, 74
- subtractor 19, 167-172, 174-181, 183, 184
- subtractive cloning 125, 126, 139, 140
- subtractive hybridization 1-4, 8, 13, 15, 18, 33, 39, 53-56, 60, 66, 68, 70, 126, 135, 137, 139, 140, 142, 143, 146, 150, 155, 167-185, 188, 212, 241, 242, 256, 258
- suppression adapter 14, 16, 20, 22, 29, 32, 34, 35, 40, 41, 43-45, 107, 108, 195, 197, 199, 201-205, 207, 208, 250, 256, 258-261
- suppression of the PCR 29
- suppression sequence 29, 32, 33
- suppression subtractive hybridization 1, 2, 13-17, 19, 29, 39, 53-57, 59-62, 70, 71, 77, 80, 82, 111, 126-128, 135, 150-153, 155-157, 241, 242
- Surveyor 150, 203, 211, 219, 221, 224, 249, 250, 252-255, 261
- T4 endonuclease VII 211, 218, 221, 250
- T7 endonuclease I 211, 218, 219, 221, 249
- tagging RNA 5' ends 53, 56
- target sequence 23, 33, 53, 59, 90, 132, 191, 196, 213, 230, 257, 277
- targeted differential display 29
- targeted genomic difference analysis 241-243, 255
- technical comments 53, 54, 59
- tester 1, 5, 39, 55, 58, 127-131, 134, 136, 137, 139, 142, 144-154, 167-172, 174-181, 183-185
- TGDA, *see* targeted genomic difference analysis
- thermodynamic limitations 85, 86
- thermodynamically stable duplexes 241, 244
- TILLING 1, 241, 249
- tilling-array 265
- tracer 1, 5-10, 12, 13, 15, 16, 18-20, 39, 46, 55-57, 59-62, 64-70, 76, 77, 80, 82, 138, 139, 244-246, 257, 258
- transcript concentration 97, 99, 100
- transcript variants 265, 273, 284
- transcriptome annotation 265, 266, 285
- true genomic sequence representation 187, 191, 247
- UDG, *see* uracil-DNA glycosylase
- unmethylated CpG 21, 22, 187, 188, 197, 202, 207
- uracil-DNA glycosylase 126, 146, 150, 151, 167, 168, 170, 233
- whole-genome oligonucleotide array 265, 288
- wild-type allele 1, 229, 232
- wild-type strand 1, 24, 215, 225, 233